



Page: 1 of

Infosafe No™ 3NUO7 Issue Date : May 2022 ISSUED by NUFARMNZ

Product Name CONQUEST®

Section 1 - Identification

CONQUEST® **Product Identifier**

Product Code 00175

Product Type Herbicide Nufarm NZ **Company Name**

6 Manu Street, Otahuhu Auckland 2024 New Zealand Address

Telephone/Fax

Number

Emergency Phone

0800 651 911

Number

nzinfo@nufarm.com Email

Recommended uses and any restrictions on use or supply

For the control of gorse, broom, blackberry and other brushweeds, and for the spot treatment of many broadleaf weeds including ragwort, thistles and docks. Also effective for release spraying in radiata pine, and broadleaf weed

control in turf.

Tel: 0-9-270 4150

Other Information This SDS describes, to the best of our knowledge, the properties of the

concentrated product. The physical properties and some of the assessments do not apply to the properties of the product once it has been diluted for application. Acute health effects of the diluted product are likely to be

much less severe.

Section 2 - Hazard(s) Identification

Other Information

6.1D acute toxicant, 3.1D flammable liquid, 6.3B skin irritant, 6.4A eve irritant, 6.5B sensitiser, 6.9B target organ toxicant, 9.1A aquatic 9.3C terrestrial vertebrate toxicant, toxicant. 9.2A soil toxicant,

FLAMMABLE

Warning - combustible liquid.

TOXICITY

Harmful - may be harmful if swallowed, inhaled or absorbed through the skin. May cause eye irritation. May cause mild skin irritation, or sensitisation from prolonged skin contact. May cause kidney or liver damage from repeated

oral exposure at high doses.

ECOTOXIC

Very toxic to aquatic organisms.

Selective herbicide - very toxic to some plant species.

Harmful to terrestrial vertebrates.

Section 3 - Composition and Information on Ingredients

Chemical

Liquid

Characterization

Ingredients Name CAS Proportion

Triclopyr (present as 64700-56-7 300 g/L

the butoxyethyl ester)

Picloram present as the 1918-02-1 100 g/L

amine salt

Section 4 - First Aid Measures

For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a First-aid Measures

doctor immediately. Begin artificial respiration if the victim is not breathing. Use mouth-to-nose rather than mouth-to mouth. Obtain medical

attention.

Remove patient to fresh air. Lay down and keep warm and rested. Inhalation

is shallow or has stopped ensure airway is clear and apply resuscitation.

Seek medical assistance immediately.

Never give anything by mouth to an unconscious person. If swallowed do NOT Ingestion induce vomiting. For advice, contact the National Poisons Centre (0800 764

Print Date: 5/24/2022 CS: 3.4.25





Page: 2 of 5

Product Name CONQUEST®

766). Seek medical assistance immediately.

Skin Immediately flush body and clothes with large amounts of water. Remove

contaminated clothing and footwear. Wash affected areas with soap and water.

If a large area is affected seek medical assistance.

Eye Flush eyes with plenty of water for 15 minutes holding eyelids open if

necessary.

Remove contact lenses, if present and easy to do.

Seek medical assistance even if there are no immediate symptoms.

First-aid Facilities Facilities storing or utilizing this material should be equipped with an

eyewash facility and safety shower.

Advice to Doctor Treat symptomatically.

Section 5 - Firefighting Measures

Suitable Water fog, foam, carbon dioxide or dry chemical.

Extinguishing Media

Hazards from On burning will emit toxic fumes.

Combustion If involved in a fire, it will emit oxides of carbon, oxides of nitrogen,

Products hydrogen chloride and possibly phosgene.

Special protective equipment for

Full protective clothing and self-contained breathing apparatus.

fire-fighters

Specific Methods Keep up wind. Do not allow washings to reach sewage or effluent systems.

Hazchem Code 2X

Other Information Location Certificate: Not applicable

Hazardous Atmosphere Zone: Not applicable

Number of Fire Extinguishers: 2 for 500L or more

Section 6 - Accidental Release Measures

Spills and Disposal Wear protective clothing. Clear area of unprotected personnel. Eliminate all

ignition sources and naked lights. Use non-sparking utensils. Contain spi and absorb with sand, soil or absorbent granules. If spill does enter waterways contact the local authority. Collect in an appropriate sealable

container for disposal in an approved landfill.

Wash area with water and absorb with further inert material. Dispose of

waste safely in an approved landfill.

Prevent spill coming into contact with class 1, 2, 3.2, 4 or 5 substances.

Personal Protection For appropriate personal protective equipment (PPE), refer Section 8.

Environmental

Prevent from entering drains, waterways or sewers.

Precautions

This product is a herbicide and spills can damage crops, pastures and

desirable vegetation.

Prevent contamination of soil and water.

Section 7 - Handling and Storage

Precautions for Safe Handling Avoid skin and eye contact and inhalation of spray mist.

APPROVED HANDLER: This product must be under the control of an approved handler if applied in a wide dispersive manner, or used by a commercial

contractor.

TRACKING: Is not required

RECORD KEEPING: Records of use as described in NZS 8409 Management of Agrichemicals must be kept if 3L or more is applied within 24 hours.

BEWARE: Spray drift hazard. Apply this product carefully. Spray drift may cause serious damage to other desirable plants.

This product must not be applied onto or into water.

Conditions for safe storage, including any incompatibilities Keep out of reach of children.

Store in original container tightly closed and in a locked, dry, cool area away from sources of ignition, seeds, fertilisers and foodstuffs. Storage must be in accordance with NZS 8409 Management of Agrichemicals.

Do not store near heat or flame.

Stores containing 100L of CONQUEST require secondary containment and are subject to signage, and more than 100L require emergency response plans.

Print Date: 5/24/2022 CS: 3.4.25





CS: 3.4.25

Page: 3 of 5

Product Name CONQUEST®

Stores exceeding 500 litres of this substance must have at least 2 fire

extinguishers.

Do not store with HSNO Class 1, 2, 3.2, 4 or 5 substances. Always read the label and any attached leaflet before use.

Aggregate Storage Volume Thresholds:

When stored with substances of the same hazard classification the aggregate quantity must be considered. For full details refer to the current NZS8409

Management of Agrichemicals and the HSNO Regulations.

Section 8 - Exposure Controls and Personal Protection

Occupational Exposure Limits

Other Information

No exposure limits (WES, TEL or EEL's) have been specifically assigned for this product. WES TWA for picloram = $10 \, \text{mg/m}^3$

Appropriate Engineering

(OEL)

Handle in well ventilated areas, generally natural ventilation is adequate.

Controls Personal Protective Equipment

When opening the container, preparing spray and using the prepared spray wear

safety goggles, waterproof gloves, cotton overalls buttoned to the neck

and wrist, and boots.

Hygiene Measures Do not eat, drink or smoke while using.

Remove protective clothing and wash hands and face thoroughly before meals and after work. Wash protective clothing daily after work. Wash splashes

of concentrate from skin immediately.

Section 9 - Physical and Chemical Properties

Form Liquid

Appearance Amber to brown

Solubility in Water Disperses

Specific Gravity 1.144

pH 2 - 6.5 (1%w/v)

Vapour Pressure 0.2 mPa @ 25°C for triclopyr

 $8 \times 10-11$ mPa @ 25° C for picloram

Flash Point 92°C

Other Information (EC) Emulsifiable concentrate

Section 10 - Stability and Reactivity

Chemical Stability Stable under normal conditions of handling and storage.

 $\begin{tabular}{ll} \textbf{Conditions to Avoid} & \textbf{Strong oxidising agents.} \end{tabular}$

Hazardous polymerisation will not occur.

Polymerization

Section 11 - Toxicological Information

Toxicology No specific toxicological data is available for this product. Data below is

Information for constituents.

Acute Toxicity - Oral LD50 = 803mg/kg for triclopyr

LD50 (mouse) = 1,061mg/kg for picloram

Skin May cause mild skin irritation or sensitisation from prolonged skin contact.

May have a degreasing effect on the skin.

Eye Moderate eye irritant.

Skin Sensitisation Contact sensitiser

Subchronic/Chronic

Print Date: 5/24/2022

Toxicity

May cause kidney or liver damage from repeated oral exposure at high doses.

Other Information The Australian Acceptable Daily Intake (ADI) for triclopyr for a human is 0.005 mg/kg/day, set for the public for daily, lifetime exposure. This is

based on the NOEL of 0.5 mg/kg/day, the level determined to show no effects





Page: 4 of 5

Product Name CONQUEST®

during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Comm. Dept. of Health and Ageing, Office of Chemical Safety, 'ADI List', December 2014). The Australian Acceptable Daily Intake (ADI) for picloram for a human is 0.07 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 7 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Aust Govt Dept. of Health, Office of Chemical Safety, 'ADI List', December 2014).

Section 12 - Ecological Information

Persistence and Picloram and triclopyr butoxyethyl ester are persistant in the environment.

Degradability Typical field DT50= 30-90 days for picloram.

Soil DT50 = >30 days for triclopyr butoxyethyl ester Aqueous photodegration DT50 = <3 days for picloram.

Mobility Picloram is very mobile and persistent. Biological degradation is slow under

aerobic or anaerobic conditions.

Bioaccumulative

Triclopyr butoxyethyl ester and picloram are not bioaccumulative.

Potential Basis for Assessment

 $_{
m nt}$ Ecotoxicological data have not been determined specifically for this product.

Data below is for the active ingredient unless otherwise stated.

Acute Toxicity - Fish

LC50 (96h) for bluegill sunfish is $0.36 \,\mathrm{mg/L}$ for triclopyr butoxyethyl ester Chronic LOEC (65d) for rainbow trout = $0.048 \,\mathrm{mg/L}$ for triclopyr butoxyethyl

ester

LC50 (96h) for lake trout is 1.55 mg/L for picloram Chronic NOEL (26d) rainbow trout = 0.55mg/L for picloram

Acute Toxicity -

EC50 (48h) daphnia magna = 1.7 mg/L for triclopyr butoxyethyl ester

LC50 mortality (48h) daphnia magna = 50.7mg/L for picloram

Acute Toxicity -

Other Organisms

EC50 (24h) freshwater diatom = $0.10 \, \text{mg/L}$ for triclopyr butoxyethyl ester EC50 (96h) green algae = $36.79 \, \text{mg/L}$ for picloram

Algae

Daphnia

Chronic EC50 (2-3weeks) green algae = 44.8mg/L for picloram

Acute Toxicity -

LD50 (21d) for bobwhite quail = 735mg/kg for triclopyr butoxyethyl ester

EC25 alfalfa = 0.0129mg/kg soil for triclopyr butoxyethyl ester

LD50 (48h) honey bee = $14.5 \mu g/bee$ for picloram LD50 >100 $\mu g/bee$ for triclopyr

Picloram is practically non-toxic to earthworms

Section 13 - Disposal Considerations

Product Disposal Dispose of product only by using according to the label, or at an approved

landfill.

Container Disposal Triple rinse empty container and add rinsate to spray tank. Recycle empty

container. Otherwise crush and bury in a suitable landfill.

Section 14 - Transport Information

Transport It is good practice not to transport agricultural chemical products with

Information food, food related materials and animal feedstuffs.

UN Number 3082

Proper Shipping ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. - (triclopyr 30%, picloram

Name 10%)

Hazard Class 9
Hazchem Code 2X
Packaging Method Packing Group III
EPG Number IERG Number 47

.....

IMO Marine Yes. Environmentally Hazardous Substance mark required.

Pollutant

IMDG EMS F-A, S-F

Print Date: 5/24/2022 CS: 3.4.25





Page: 5 of 5

Product Name CONQUEST®

Other Information Do not carry this product on a passenger service vehicle.

Segregation: Check the latest Land Transport Rule Dangerous Goods Rule 45001 for additional information. Sea transport may require additional segregation.

Refer NZS5433 sea segregation for details.

Section 15 - Regulatory Information

National and or Registered pursuant to the ACVM Act 1997, No. P7550
International See www.foodsafety.govt.nz for registration conditions

Regulatory Approved pursuant to the HSNO Act 1996, Approval Code HSR000553

Information See www.epa.govt.nz for approval controls.

Packaging and WARNING - combustible liquid

Labelling HARMFUL * ECOTOXIC - keep out of reach of children

Section 16 - Any Other Relevant Information

Contact Person/Point IN AN EMERGENCY, DIAL 111 - FIRE OR POLICE

24Hr Tollfree Emergency No: 0800 651 911

24Hr Emergency No: National Poisons Centre Phone: 0800 764 766

Revisions 5 Yearly review carried out.

Highlighted

Other Information Supersedes SDS issued May 2017

...End Of MSDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.

Print Date: 5/24/2022 CS: 3.4.25